



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग III—खण्ड 4
PART III—Section 4

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 219]

नई दिल्ली, मंगलवार, अक्टूबर 9, 2012/आश्विन 17, 1934

No. 219]

NEW DELHI, TUESDAY, OCTOBER 9, 2012/ASVINA 17, 1934

ऊर्जा दक्षता ब्यूरो

अधिसूचना

नई दिल्ली, 8 अक्टूबर, 2012

सं. 2/11(5)/03-बीईई.-2.—कतिपय विनियमों का निम्नलिखित प्रारूप जिसे ब्यूरो, केन्द्रीय सरकार के पूर्व अनुमोदन से ऊर्जा संरक्षण अधिनियम, 2001 (2001 का 52) की धारा 58 की उप-धारा (2) के खंड (झ) के साथ पठित धारा 14 के खंड (घ) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 में और संशोधन करने का प्रस्ताव करती है जिन्हें उक्त अधिनियम की धारा 58 की उपधारा (1) के अपेक्षानुसार ऐसे सभी व्यक्तियों की जानकारी के लिए जिनके उससे प्रभावित होने की संभावना है प्रकाशित किया जाता है और इसके द्वारा सूचना दी जाती है कि उक्त प्रारूप विनियमों पर उस तारीख से इस अधिसूचना के सरकारी राजपत्र में प्रकाशन की तारीख से तीस दिन की अवधि के अवसान को या इसके पश्चात् विचार किया जाएगा।

ऐसे किसी आक्षेप या सुझाव पर जो किसी व्यक्ति से प्राप्त हो सकेंगे, उक्त प्रारूप विनियमों के संबंध में तीस दिन की पूर्वोक्त अवधि की समाप्ति के पूर्व ब्यूरो द्वारा विचार किया जाएगा।

आक्षेप या सुझाव, यदि कोई हों, उन्हें महानिदेशक, ऊर्जा दक्षता ब्यूरो, विद्युत मंत्रालय, चौथा तल, सेवा भवन, आर.के.पुरम सैक्टर 1 नई दिल्ली 110066 को भेजे जा सकेंगे।

प्रारूप विनियम

1. संक्षिप्त नाम और प्रारंभ—(1) इन विनियमों का संक्षिप्त नाम ऊर्जा दक्षता ब्यूरो (कक्ष

वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) संशोधन विनियम, 2012 है।

(2) ये राजपत्र में उनके अंतिम प्रकाशन की तारीख को प्रवृत्त होंगे।

2. ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 (जिसे इसमें इसके पश्चात् मूल नियम कहा गया है) के विनियम 2 के उप विनियम (1) में,—

(i) खंड (ख) के पश्चात्, निम्नलिखित खंड अन्तःस्थापित किया जाएगा, अर्थात्:—

“(खक) “लेबल अवधि” से धारा 14 के खंड (क) के अधीन केन्द्रीय सरकार द्वारा विनिर्दिष्ट ऊर्जा उपभोग मानक के अधीन ऊर्जा दक्षता अनुपात की विधिमान्यता अवधि अभिप्रेत है और यदि ऊर्जा दक्षता अनुपात की अन्तिम अवधि विनिर्दिष्ट है, तो केन्द्रीय सरकार द्वारा एक नया ऊर्जा दक्षता अनुपात विनिर्दिष्ट होने तक इसे विधिमान्य समझा जाएगा;”

(ii) खंड (ड.) के स्थान पर, निम्नलिखित खंड रखा जाएगा,—

“(ड.) “स्टार रेटिंग या स्टार लेबल” से कक्ष वातानुकूलक की ऊर्जा दक्षता को बताने के लिए धारा 14 के खंड (क) के अधीन अधिसूचित ऊर्जा उपभोग मानक के आधार पर कक्ष वातानुकूलक के लेबल पर संप्रदर्शित ऊर्जा दक्षता का ग्रेड अभिप्रेत है।

(iii) खंड (ड.), के पश्चात्, निम्नलिखित खंड अन्तःस्थापित किया जाएगा, अर्थात्

“(च) “व्यापारी या विक्रेता” से किसी लेबलयुक्त कक्ष वातानुकूलक के संबंध में, वह व्यक्ति जो ऐसे कक्ष वातानुकूलक को बेचता है या वितरित करता है और इसमें दुकानदार, व्यापारी, विनिर्माता और अनुज्ञापत्र धारी, जिसे ऐसे कक्ष वातानुकूलकों पर लेबल लगाने की अनुज्ञा दी गई है, अभिप्रेत है।”

3. मूल विनियमों में, विनियम 3 के, उप विनियम (1) में,—

(i) खंड (ट), के पश्चात् निम्नलिखित खंड अंतःस्थापित किया जाएगा, अर्थात्:—

“(ठ) लेबल अवधि.”

(ii) उप विनियम (1) के पश्चात्, निम्नलिखित उप विनियम अन्तःस्थापित किया जाएगा, अर्थात्:—

“(1 क) उप विनियम (1) के खंड (1) में विनिर्दिष्ट विशिष्टि 31 दिसम्बर, 2013 के पश्चात् एकिक कक्ष वातानुकूलक पर संप्रदर्शित किया जाएगा।”

4. मूल विनियमों में, विनियम 4 के विद्यमान विनियम 4 को उप विनियम (1) के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित उप विनियम (1) के पश्चात् जैसा कि पुनः संख्यांकित किया गया है, निम्नलिखित उप विनियम अंतःस्थापित किए जाएंगे, अर्थात्

“(2) अधिनियम की धारा 14 के खंड (क) के अधीन अधिसूचित कक्ष वातानुकूलक के लेबल पर संप्रदर्शन के लिए स्टार लेबल के पुनरीक्षण के परिणामस्वरूप ऊर्जा दक्षता अनुपात में पुनरीक्षण से प्रत्येक अनुज्ञापत्र धारी यह सुनिश्चित करेगा कि —

(क) बाजार में उपलब्ध स्टार लेबल संप्रदर्शित करने वाले लेबल सहित कक्ष वातानुकूलकों के स्टॉक को उस तारीख से पहले जिससे पुनरीक्षण स्टार लेबल प्रवृत्त होगा, बाजार से पूर्ण रूप से निष्कासित या पुनः लेबलयुक्त या वापस किया जाएगा;

(ख) पुनरीक्षित स्टार लेबल संप्रदर्शित करने वाले लेबल सहित कक्ष वातानुकूलकों को उस तारीख से जिससे पुनरीक्षित स्टार लेबल प्रवृत्त होगा, बाजार में विक्रय करना है और विनियम 3 के उप विनियम (1) के खंड (ठ) में संप्रदर्शित लेबल अवधि पर पुनरीक्षित स्टार लेबल की विधिमान्यता अवधि उपदर्शित करेगा।

(ग) सभी प्रारंभिक उपायों, जिनमें डीलर, खुदरा व्यापारी की जागरूकता, उनके और उपभोक्ताओं के शिक्षण के लिए अपेक्षित प्रचार शामिल हैं, को सुनियोजित करना चाहिए और उस तारीख से जिससे छह मास पहले खंड (क) और खंड (ख) के उपबंधों को प्रवृत्त करने के प्रयोजन के लिए पुनरीक्षित स्टार लेबल प्रवृत्त किया गया है।

(3) जहां अनुज्ञापत्र धारी, उसके नियंत्रण से परे बाजार परिस्थितियों के कारण, उप विनियम (2) के खंड (क) में विनिर्दिष्ट उपबंधों का अनुपालन सुनिश्चित करने में असफल होता है और यह मानने के लिए उपभोक्ता के पास पर्याप्त आधार है कि उप विनियम (2) के खंड (क) और खंड (ख) में निर्दिष्ट कक्ष वातानुकूलकों के बीच ऊर्जा दक्षता के आधार पर उपभोक्ता सुविचारित चयन करने में कठिनाई अनुभव करता है, तो अनुज्ञापत्र धारी केन्द्रीय सरकार की पूर्व अनुमोदन के साथ, उप विनियम (2) के खंड (क) और खंड (ख) में निर्दिष्ट कक्ष वातानुकूलकों के बीच अन्तर करने के लिए अनुसूची में दर्शाए गए अभिकल्पन के अनुसार हरे रंग के लेबल पर विनियम 3 के उप विनियम (1) के खंड (vii) में निर्दिष्ट ऊर्जा दक्षता अनुपात को संप्रदर्शित करेगा।”

5. मूल विनियमों के विनियम 7 में,

(i) उप विनियम (3) के स्थान पर, निम्नलिखित उप विनियम रखा जाएगा, अर्थात्:—

“(3) उप विनियम (1) के अधीन इस प्रकार प्रदत्त अनुज्ञा उस अवधि के लिए विधिमान्य होगी जिसके लिए धारा 14 के खंड (क) के अधीन केन्द्रीय सरकार द्वारा अधिसूचित ऊर्जा उपभोग मानक द्वारा विनिर्दिष्ट स्टार लेबल प्रवृत्त है।”

(ii) उप विनियम (5) के पश्चात् निम्नलिखित उप विनियम अन्तःस्थापित किए जाएंगे, अर्थात्

“(6) अनुज्ञापत्र धारी, जो उस तारीख से जिससे पुनरीक्षित स्टार लेबल प्रवृत्त हुए हैं, कक्ष वातानुकूलक के विद्यमान मॉडल पर लेबल चिपकाना जारी रखने के लिए अनुज्ञा की याचना करता है, उसे प्ररूप IV में केवल एक घोषणा करनी होगी।

(7) अनुज्ञापत्र धारी पुनः लेबल चिपकाने की अनुमति लेगा, यदि कक्ष वातानुकूलक के एक नए मॉडल को पुनरीक्षित स्टार लेबल के समनुरूप उतारने की योजना बनाई है, तो ऐसी अनुमति के लिए पुनरीक्षित स्टार लेबल के प्रवृत्त होने से छह मास पहले आवेदन करना होगा।”

6. मूल विनियमों में, विद्यमान विनियम 8 को उप विनियम (1) के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित उप विनियम (1) के पश्चात्,—

(i) खंड (च) के पश्चात्, निम्नलिखित खंड अन्तःस्थापित किया जाएगा, अर्थात्:—

“(चक) अनुज्ञापत्रधारी को प्राधिकृत वितरकों, डीलरों, खुदरा व्यापारियों, विक्रेताओं, जिन्हें उनके लेबलयुक्त उत्पादों को बेचने के लिए नियुक्त किया गया है, की अद्यतित सूची को अपनी वेबसाइट पर संप्रदर्शित करना होगा और प्रत्येक वर्ष, 1 अप्रैल को इसे ब्यूरो और राज्य अभिहित अभिकरणों को प्रस्तुत करना होगा।

(ii) इस प्रकार पुनः संख्यांकित उप विनियम (1) के पश्चात्, निम्नलिखित उप विनियम अन्तःस्थापित किया जाएगा, अर्थात्:—

“(2) बिक्री के लिए दिए गए या बिक्री के लिए संप्रदर्शित कक्ष वातानुकूलकों पर या अपने रैपर या कंटेनर पर चिपकाए गए लेबल पर संप्रदर्शित विशिष्टियों को सार्वजनिक समझा जाएगा, जब ऐसे कक्ष वातानुकूलक को बेचा जाता है, भेजा जाता है, डिलीवर किया जाता है, पारेषित किया जाता है या अन्य किसी प्रकार से जनता के किसी सदस्य को उपलब्ध कराया जाता है और ऐसे कक्ष वातानुकूलकों के प्रत्येक व्यापारी अथवा विक्रेता—

(क) जन साधारण के समक्ष ऐसे कथन देने के लिए आबद्ध होगा;

(ख) इन विनियमों के अनुपालन के लिए बाध्यताधीन होगा; और

(ग) इन विनियमों के अनुसार कक्ष वातानुकूलकों को बेचने के लिए जिम्मेदार होगा।

7. मूल विनियमों के विनियम 11 में, उप विनियम (4) और (5) के स्थान पर निम्नलिखित उप विनियम अंतः स्थापित किए जाएंगे, अर्थात्:—

“(4) जहां द्वितीय परीक्षण असफल होता है, वहां ब्यूरो—

(क) अनुज्ञापत्र धारी को प्ररूप V में यह निदेश देगा कि सभी राज्य अभिहित अभिकरणों को सूचित करते हुए अनुज्ञापत्र धारी दो मास की अवधि के भीतर,—

(i) कक्ष वातानुकूलक के लेबल पर संप्रदर्शित स्टार लेबल को सही करेगा या परीक्षण के दौरान पाए गए नुक्सों और कमियों को दूर करेगा;

(ii) ब्यूरो के निदेशानुसार बाजार से सारे स्टॉक को हटाएगा; और

(iii) विज्ञापन सामग्री पर संप्रदर्शित विशिष्टियों को बदलेगा।

(ख) उपभोक्ताओं को ऐसी रीति से अधिसूचित करेगा जैसा उचित समझें;

(ग) अनुज्ञापत्र धारी और व्यापारी के खिलाफ न्याय निर्णयन कार्यवाही शुरू करने के लिए संबद्ध राज्य अभिहित अभिकरणों को संसूचित करेगा;

“(5) अनुज्ञापत्र धारी, उप विनियम (4) में उल्लिखित दो मास की अवधि की समाप्ति के दस दिन के भीतर —

(क) निदेश के अनुपालन में की गई कार्रवाई की बाबत ब्यूरो को प्ररूप VI में अनुपालन रिपोर्ट भेजेगा; और

(ख) यदि खंड (क) में निर्दिष्ट अनुपालन रिपोर्ट विनिर्दिष्ट अवधि के भीतर प्राप्त नहीं होती है, तो इसे ब्यूरो द्वारा पारित इस आशय के आदेशों और जारी किए गए निदेशों का अननुपालन समझा जाएगा।

(6) ब्यूरो, खंड (क) में निर्दिष्ट अनुपालन रिपोर्ट और उप विनियम (5) के खंड (ख) में पारित आदेशों की एक प्रति अधिनियम की धारा 17 और धारा 27 के प्रयोजन के लिए सभी राज्य अभिहित अभिकरणों को भेजेगा।

(7) जहां अनुज्ञापत्र धारी, उप विनियम (4) के अधीन ब्यूरो द्वारा जारी किए गए निदेशों का अनुपालन करने में असफल रहता है, वहां ब्यूरो, सभी राज्य अभिहित अभिकरणों को सूचित करते हुए,—

(क) विनियम 7 के उप विनियम (1) के अधीन अनुज्ञापत्र धारी को प्रदत्त अनुज्ञा को वापस ले लेगा;

(ख) धारा 14 के खंड (क) के अधीन केन्द्रीय सरकार द्वारा अधिसूचित ऊर्जा उपभोग मानक के अनुरूप करने, केन्द्रीय सरकार द्वारा धारा 14 के खंड (ग) के अधीन विचार करने और कार्रवाई करने के लिए खंड (क) के अधीन ब्यूरो द्वारा जारी किए गए आदेशों का अनुपालन करने में यदि अनुज्ञापत्र धारी असफल रहता है, तो इसके समर्थन में परीक्षण रिपोर्ट के साथ इसकी रिपोर्ट केन्द्रीय सरकार को भेजेगा;

(ग) उपभोक्ताओं को ऐसी रीति से अधिसूचित करेगा, जैसा उचित समझें;

(घ) अनुज्ञापत्र धारी और व्यापारी के खिलाफ न्याय निर्णयन कार्यवाहियां शुरू करने के लिए संबद्ध राज्य अभिहित अभिकरणों को सूचित करेगा।”;

8. मूल विनियमों के प्ररूप II में, विद्यमान पैराग्राफ 5 के स्थान पर निम्नलिखित पैराग्राफ रखा जाएगा, अर्थात्:—

“5. जहां स्टार लेबल की योजना की पुनर्विलोकन करने पर ब्यूरो द्वारा उपांतरित की जाती है, कक्ष वातानुकूलक का स्टार लेबल निम्नानुसार उपांतरित किया जाएगा:

(क) यदि नया मॉडल पुनरीक्षित स्टार लेबल के अनुरूप शुरू किया जाता है, तो नए स्टार लेबल के प्रवृत्त होने की तारीख से छह मास पूर्व ब्यूरो को ऐसी अनुमति के लिए एक आवेदन देना होगा;

(ख) जहां विद्यमान मॉडल को ही उपांतरित स्टार लेबल के रूप में जारी रखा जाता है, वहां प्ररूप IV में, केवल एक घोषणा ब्यूरो को प्रस्तुत करनी होगी।”.

9. मूल विनियमों में, प्ररूप III के पश्चात्, निम्नलिखित प्ररूप अन्तःस्थापित किए जाएंगे, अर्थात्:—

“प्ररूप IV

घोषणा

[विनियम 7(6) देखिए]

(प्रत्येक भिन्न मॉडल के लिए, संबंधित उपाबंध के साथ एक अलग पत्र प्रस्तुत करना होगा)

(निगमित निकाय/लेबल के उपयोगकर्ता के पत्रशीर्ष पर)

तारीख :

सेवा में
महानिदेशक
ऊर्जा दक्षता ब्यूरो
(विद्युत मंत्रालय, भारत सरकार)
चौथा तल, सेवा भवन,
सेक्टर 1, आर के पुरम,
नई दिल्ली— 110066
भारत।

विषय : तारीख से ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 प्रभावी स्टार लेबल के पुनरीक्षण के अनुसार लेबल चिपकाने की अनुमति के लिए आवेदन

1. मैं/हम कक्ष वातानुकूलक के विनिर्माता हैं जो [कम्पनी का नाम और पूरा पता] स्टाइल के अधीन [व्यष्टि या फर्म का पूरा नाम] कारोबार कर रहा हूँ/रहे हैं, जो [उपस्कर का नाम] लेबल चिपकाने की अनुमति के लिए आवेदन करता हूँ/करते हैं, जैसा कि ऊर्जा दक्षता ब्यूरो कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 में विनिर्दिष्ट हैं, जिनमेंसे प्रभावी स्टार लेबल में पुनरीक्षण किया जाएगा।
2. विनिर्माणकारी सुविधा: उक्त उपकरण [व्यष्टि या फर्म का पूरा नाम] द्वारा विनिर्मित या आयातित किया गया है और [फैक्टरी का नाम और पता] में विनिर्मित किया गया है या [फैक्टरी/आयातक का नाम और पता] से आयात किया गया है.....
3. नए स्टार लेबल से अनुरूपता: मैं/हम सारणी में परिवर्तन सारणी.....के अनुसार पुष्टि करता हूँ/करते हैं, जैसा कि 9 जनवरी, 2012 को [उपकरण का नाम] के लिए अधिसूचना में विनिर्दिष्ट है। (अधिसूचना का शीर्षक) उपरोक्त उपकरण (जो पहले अनुमोदित था) के संबंध में बीईई लाइसेंस/प्रमाणपत्र /अनुमोदन की एक प्रति संलग्न हैं

4. कक्ष वातानुकूलक के संबंध में बीईई लेबल (स्टार लेबल परिवर्तन में पुनरीक्षण के अनुसार) की एक प्रति संलग्न है।

5. नई सारणी के अनुसार उपकरण/मॉडल के ब्यौरे:

मॉडल का नाम

विशिष्टियां	मूल्य निरूपण	
प्रशीतन क्षमता	—	
विद्युत उपभोग	—	
ईईआर	—	
स्टार रेटिंग	(विद्यमान लेबल स्तर के अनुसार)	(स्टार लेबल के पुनरीक्षण के अनुसार)

6. मैं/हम स्टार लेबल प्रारूप के [विद्यमान स्टार लेबल स्तर] से [पुनरीक्षित स्टार लेबल स्तर] में हस्तलिखित आवेदन और ऑनलाइन वेब पोर्टल में परिवर्तन करने के लिए सहमत हूँ/हैं।

7. मैंने उक्त कक्ष वातानुकूलक के लिए आज की तारीख तक के तिमाही उत्पादन के आंकड़े और लेबलिंग शुल्क प्रस्तुत कर दिया है।

8. मैं/हम ब्यूरो द्वारा विनिर्दिष्ट सभी शर्तों और निबंधनों को मानने के लिए सहमत हूँ/हैं और यदि ब्यूरो द्वारा कोई जांच की जाती है तो ब्यूरो को आवश्यक सहायता/सहयोग देने के लिए सहमत हूँ/हैं।

9. मैं/हम ऊर्जा दक्षता ब्यूरो को सत्यापन और चुनौती परीक्षण के लिए नमूने का चयन करने के लिए प्राधिकृत करता हूँ/करते हैं और इस संबंध में ब्यूरो के निर्देशों को मानने के लिए सहमत हूँ/हैं।

10. मैं/हम वचन देता हूँ/देते हैं कि इस आवेदन में दी गई सूचना मेरी पूरी जानकारी के हिसाब से सही है और यदि दी गई कोई जानकारी गलत पाई जाती है तो आवेदन को रद्द कर दिया जाए।

तारीख

दिन.....(वर्ष)

हस्ताक्षर.....

नाम.....

पद नाम.....

कृते और की ओर से

(फर्म का नाम)

फर्म की मोहर

.....

प्ररूप V

[विनियम 11(4) देखिए]

द्वितीय जांच पड़ताल में असफल होने पर अनुज्ञापत्र धारी को निदेश

सेवा में

.....

.....

.....

नई दिल्ली, दिनांक2011

ऊर्जा दक्षता ब्यूरो, कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 के विनियम 7 के उगबंधों के अनुसार आपको बीईई पत्र सं. तारीख..... के अनुसार कक्ष वातानुकूलकों पर लेबल निष्काशने की अनुमति, उसमें विनिर्दिष्ट शर्तों और निबंधनों के अनुपालन के अध्यक्षीन दी गई थी।

2. ऊर्जा दक्षता ब्यूरो, (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां एवं रीति) विनियम 2009 के विनियम 11 के अधीन जो कक्ष वातानुकूलक संख्या.. के सत्यापन और परीक्षण से संबंधित हैं और आपके प्राधिकृत वितरक, डीलर, खुदरा व्यापारी से

रूपये की कीमत पर बीजक संख्या तारीख..... को कय किया गया था और पूर्वोक्त खरीदे गए कक्ष वातानुकूलक पर आपके द्वारा चिपकाए गए पूर्वोक्त विनियमों के विनियम 3 के अधीन लेबल पर संप्रदर्शित विशिष्टियों के सत्यापन के लिए का.आ. सं. 181(अ) तारीख 12 जनवरी, 2009 के पैराग्राफ 4 के अधीन एक नमूना, ब्यूरो द्वारा नियुक्त एक अभिकरण मेसर्स द्वारा उठाया गया था। मेसर्स (वितरक, डीलर, खुदरा व्यापारी का नाम) से प्राप्त, सत्यापन अभिकरण और आपके प्रतिनिधियों के सम्यक रूप से प्राधिकृत प्रतिनिधि के हस्ताक्षर सहित उठाए गए नमूने पर उकेरी गई विशिष्ट पहचान कम संख्या दी गई है और मेसर्स द्वारा सम्यक रूप से सील बंद किया गया है।

3. ब्यूरो अपने पूर्वोक्त सत्यापन अभिकरण के माध्यम से पैरा 2 में निर्दिष्ट नमूने को मेसर्स जो सा.का.सं.181(ई.) तारीख 12 जनवरी, 2009 के उपाबंध में दिए गए प्ररूप के अनुसार जांच रिपोर्ट देने के लिए तारीख 12 जनवरी, 2009 के का.आ. संख्या 181(ई.) के पैराग्राफ 3 और 4 में उपदर्शित परीक्षण प्रक्रिया के अनुसार परीक्षण करने के लिए एक एनएबीएल प्रत्यायित प्रयोगशाला है, तक लेकर गया।

4. विशिष्ट पहचान कम संख्या वाले नमूने की जांच रिपोर्ट के परिणाम संलग्न हैं। उपदर्शित जांच रिपोर्ट के परिणाम यह उपदर्शित हैं कि नमूना कक्ष वातानुकूलक ऊर्जा उपभोग मानक, विनिर्दिष्ट दर पर क्षमता, ईईआर आदि को पूरा करने में असफल था और आपके द्वारा विनिर्मित/आयातित कक्ष वातानुकूलक पर लेबल चिपकाने के लिए अनुज्ञा मांगने के लिए आपके द्वारा प्रस्तुत किये गये आवेदन के साथ संलग्न प्ररूप। में आपके द्वारा दिए गए जांच ब्यूरो के अनुरूप नहीं हैं। परीक्षण परिणाम आपके बीईई के पत्र संख्या..... तारीख द्वारा प्राधिकृत सम्पर्क व्यक्ति के नाम में आपको भेजे गए थे। एनएबीएल प्रत्यायित प्रयोगशाला मेसर्स में नमूनों की द्वितीय जांच सत्यापन परीक्षण में उपस्थित होने और साक्ष्य के लिए भी आपसे अनुरोध किया गया था।

5. द्वितीय जांच सत्यापन परीक्षण के लिए नमूना हमारे प्राधिकृत अभिकरण मेसर्स के माध्यम से का.आ. संख्या 181 तारीख 12 जनवरी, 2009 के पैराग्राफ 4 के अनुसार लिया गया और हमारे प्राधिकृत अभिकरण द्वारा मेसर्स द्वारा सम्यक रूप से मुहर बंद करके एनएबीएल प्रत्यायित प्रयोगशाला तक लाया गया और से, सत्यापन अभिकरण के प्राधिकृत प्रतिनिधि तथा आपके प्रतिनिधियों के हस्ताक्षरों के तहत प्राप्त उक्त नमूने पर उकेरी गई एक विशिष्ट पहचान कम संख्या दी गई।

6. एनएबीएल प्रत्यायित प्रयोगशाला के सक्षम प्राधिकृत कार्मिक द्वारा सम्यक रूप से तैयार किए गए, जांच किए गए और प्रतिहस्ताक्षरित किए गए परीक्षण परिणाम द्वितीय परीक्षण सत्यापन रिपोर्ट में विहित हैं। परीक्षण रिपोर्ट द्वितीय जांच परीक्षण के एक साक्षी के रूप में हमारे प्राधिकृत हस्ताक्षरकर्ता द्वारा सम्यक रूप से हस्ताक्षरित भी है। परीक्षण परिणाम यह पुष्टि

करते हैं कि विनिर्मित और बाजार में बेचे गए कक्ष वातानुकूलक का.आ. संख्या 181 (अ) तारीख 12 जनवरी, 2009 में दिए गए अपेक्षित पैरामीटरों तथा मानकों और उन पर चिपकाए गए लेबल पर संप्रदर्शन के लिए विशिष्टियां आपको दी गई अनुज्ञा की शर्तों और निबंधनों को पूरा नहीं करती हैं।

7. ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 के विनियम 11 के उप विनियम (4) के खंड (क) के अधीन ब्यूरो निर्देश करता है कि—

(क) कक्ष वातानुकूलक के लेबल पर संप्रदर्शित स्टार लेबल को सही करें।

(ख) ब्यूरो के निदेशों के अनुपालन में बाजार से सभी स्टॉक को हटाएं; और

(ग) विज्ञापन सामग्री पर संप्रदर्शित विशिष्टियों को बदलें।

8. आपको निदेशित किया जाता है कि इस पत्र के जारी होने की तारीख से दो मास के भीतर पूर्वोक्त सुधार संबंधी कार्रवाई पूरी की जाए और दो मास के अवसान के पश्चात् 10 दिनों के भीतर, अर्थात् -201-तक प्ररूप V में अनुपालन रिपोर्ट भेजें। यदि उक्त तारीख तक कोई अनुपालन रिपोर्ट प्राप्त नहीं होती है तो ब्यूरो, ऊर्जा दक्षता ब्यूरो कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 के विनियम 11 के उप विनियम (5) के खंड (ख) के रूप में कार्रवाई करेगा।

9. ब्यूरो, ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 के विनियम 11 के विनियम (4) (5) (6) और (7) के अनुसार इस मामले में आगे अनुवर्ती कार्रवाई करेगा।

सचिव,
ऊर्जा दक्षता ब्यूरो

संलग्नक :

1. असफल मॉडल की परीक्षण रिपोर्ट
2. विनिर्माता के साथ पत्राचार

प्ररूप VI

की गई कार्रवाई की रिपोर्ट

[विनियम 11(4) देखिए]

(कम्पनी के पत्र शीर्ष में प्रस्तुत किया जाए)

ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम 2009, के विनियम 7 के उपबंधों के अनुसरण में, हम मेसर्स कक्ष वातानुकूलकों के विनिर्माता, को मॉडल संख्या के लिए बीईई पत्र संख्या तारीख के अंतर्गत स्टार लेबल के ऊर्जा उपभोग मानक के समनुरूप कक्ष वातानुकूलकों पर लेबल चिपकाने के लिए अनुज्ञा दी गई थी।

ऊर्जा दक्षता ब्यूरो (कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम 2009, के विनियम 11 के उप विनियम (4) के उपबंधों के अनुसरण में हमें निम्नलिखित निदेश दिए गए थे। हम घोषणा करते हैं कि हमारी ओर से निम्नलिखित कार्रवाई कर ली गई है।

	निर्देशित कार्रवाई	अवस्थिति	की गई कार्रवाई
(i)	ब्यूरो के निदेशों का अनुपालन करने के लिए लेबल पर सही स्टार लेबल संप्रदर्शित किया जाए	हां/नहीं/लागू नहीं होता	ब्यूरो के निदेशों के अनुपालन में बाजार से पूरे स्टॉक पर स्टार से स्टार तक लेबल ठीक कर दिया है।
(ii)	ब्यूरो के निदेशों का अनुपालन करने के लिए बाजार से पूरा स्टॉक हटाया जाए	हां/नहीं/लागू नहीं होता	बाजार से पूरा स्टॉक हटा लिया गया है।
(iii)	विज्ञापन सामग्री पर संप्रदर्शित विशिष्टियों को बदला जाए	हां/नहीं/लागू नहीं होता	हां/नहीं/लागू नहीं होता

उपर्युक्त घोषणा मेरी/हमारी पूरी जानकारी और विश्वास के अनुसार सही है।

हस्ताक्षर

नाम

पद नाम

कृते और के लिए

कम्पनी/फर्म आदि का नाम

फर्म की सील

10. मूल विनियमों के विद्यमान अनुसूची के स्थान पर, निम्नलिखित अनुसूची रखी जाएगी, अर्थात्:-


“अनुसूची

[विनियम 3(2) देखिए]


1. एकिक के लेबलों पर संप्रदर्शित की जाने वाली विशिष्टियों के ब्यौरे (31 दिसम्बर 2013 तक लागू)

(1.1) लेबल डिजाइन, आकार, रंग स्कीम और लेबल की अंतर्वस्तु में यह सम्मिलित होगा।

(i) लेबल के निम्नलिखित आयामी अभिकल्पन, अर्थात्:-



(ii) लेबल (एकिक कक्ष वातानुकूलक) के लिए निम्नलिखित रंग स्कीम, अर्थात्:-



(iii) ब्यूरो के लोगो के लिए निम्नलिखित रंग स्कीम अर्थात्:-

नीला-

रंगत (H) -239° संतृप्ति (S) : 64% द्युति (B): 59%

ज्योतिर्मयता या हल्कापन (L) : 28, रंग संबंधी घटक - a:24b:54

लाल (R): 54 हरा (G): 55 नीला (B): 151

सायन (C): 97% मेजेन्टा (M): 95% पीला (Y): 6% काला (K): 1%

वेब रंग कोड - #363797

हरा

रंगत (H): 150° संतृप्ति (S) : 10% द्युति (B) 67%


ज्योतिर्मयता या हल्कापन (L) : 61, रंग संबंधी घटक - a:53b:32

लाल (R): 0 हरा (G): 170 नीला (B): 87

सायन (C): 81% मेजेन्टा (M): 10% पीला (Y): 90% काला (K): 1%

वेब रंग कोड - #00AA56;

(iv) निम्नलिखित एकिक कक्ष वातानुकूलक के लिए मुद्रित लेबल की संपूर्ण विनिर्दिष्ट, अर्थात्:-




(1.2) सामग्री और आकार

लेबल टिकाऊ गत्ते का होना चाहिए, यदि इसे स्विंग टैग के रूप में संलग्न किया जाना है या स्वतः चिपकने वाला हो, और लेबल के लिए विमिय डिजाइन स्कीम में दिखाई गई रूपरेखा पर काटना होगा।


2. स्प्लिट कक्ष वातानुकूलकों के लेबलों पर संप्रदर्शित की जाने वाली विशिष्टियों के ब्यौरे (01 जनवरी, 2014 के पश्चात् एकिक कक्ष वातानुकूलकों के लिए भी लागू)

2.1 लेबल डिजाइन, आकार, रंग स्कीम और लेबल की अन्तर्वस्तु में यह सम्मिलित होगा

(i) निम्नानुसार लेबल का विमीय डिजाइन, अर्थात्:-



(ii) लेबल (स्प्लिट कक्ष वातानुकूलकों) के लिए निम्नलिखित रंग स्कीम, अर्थात्:-



टिप्पण : ऊर्जा दक्षता अनुपात संप्रदर्शन (हरा) की पृष्ठभूमि में रंग टोन वही होगा जो ऊर्जा दक्षता ब्यूरो के लोगो के लिए अनुज्ञात है।

(iii) ब्यूरो के लोगो के लिए निम्नलिखित रंग स्कीम अर्थात्:-

नीला-

रंगत (H) -239 संतृप्ति (S) : 64% द्युति (B): 59%

ज्योतिर्मयता या हल्कापन (L) : 28, रंग संबंधी घटक - a:24b:54

लाल (R): 54 हरा (G): 55 नीला (B): 151

सायन (C): 97% मेजेन्टा (M): 95% पीला (Y): 6% काला (K): 1%

वेब रंग कोड - #363797

हरा

रंगत (H): 150° संतृप्ति (S) : 10% द्युति, (B) 67%


ज्योतिर्मयता या हल्कापन (L) : 61, रंग संबंधी घटक — a:53b:32

लाल (R): 0 हरा (G): 170 नीला (B): 87

सायन (C): 81% मेजेन्टा (M): 10% पीला (Y): 90% काला (K): 1%

वेब रंग कोड — #00AA56;

(iv) निम्नलिखित स्प्लिट कक्ष वातानुकूलकों के लिए मुद्रित लेबल की संपूर्ण नमूना, अर्थात्:—



(2.2) सामग्री और आकार

लेबल टिकाऊ गत्ते का होना चाहिए, यदि इसे स्विंग टैग के रूप में संलग्न किया जाना है या स्वतः चिपकने वाला हो, और लेबल के लिए विमिय डिजाइन स्कीम में दिखाई गई रूपरेखा पर काटना होगा।

ज्योति अरोरा, महानिदेशक

[विज्ञापन-III/4/185/12/असा.]

पाद टिप्पणः—मूल विनियम, अर्थात् ऊर्जा दक्षता ब्यूरो कक्ष वातानुकूलकों के लेबलों पर उनके संप्रदर्शन की विशिष्टियां और रीति) विनियम, 2009 राजपत्र में भाग III, धारा 4 में संख्या 2/11(5)/03 बीईई-2, तारीख 6 जुलाई, 2009 द्वारा अधिसूचित किया गया था और इसमें संख्या 2/11(5)/03 बीईई-2, तारीख 5 जनवरी, 2010 द्वारा अंतिम बार संशोधन किया गया।

THE BUREAU OF ENERGY EFFICIENCY NOTIFICATION

New Delhi, the 8th October, 2012

No. 2/11(5)/03-BEE-2.—The following draft of certain regulations further to amend the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009, which the Bureau with the previous approval of the Central Government, proposes to make in exercise of the powers conferred by clause (i) of sub-section (2) of section 58 read with clause (d) of section 14 of the Energy Conservation Act, 2001 (52 of 2001), is hereby published as required by sub-section (1) of section 58 of the said Act for the information of all persons likely to be affected thereby; and notice is hereby given that the said draft regulations shall be taken into consideration on or after the expiry of a period of thirty days from the date of publication of this notification in the Official Gazette.

Any objection or suggestion which may be received from any person with respect to the said draft regulations before the expiry of the aforesaid period of thirty days shall be taken into consideration by the Bureau.

Objection or suggestion, if any, may be addressed to the Director - General, Bureau of Energy Efficiency, Ministry of Power, 4th Floor, Sewa Bhavan, R. K. Puram, Sector-1, New Delhi - 110 066.

Draft Regulations

1. Short title and commencement.- (1) These regulations may be called the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners) Amendment Regulations, 2012.

(2) They shall come into force on the date of their final publication in the Official Gazette.

2. In the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009 (hereinafter referred to as the principal regulations) in regulation 2, in sub-regulation (1),-

(i). after clause (b), the following clause shall be inserted, namely:-

‘(ba) “label period” means the validity period of the energy efficiency ratio under the energy consumption standard specified by the Central Government under clause (a) of section 14 and in case the end period of the energy efficiency ratio is not specified, it shall be deemed to be valid until a new energy efficiency ratio is specified by the Central Government;’;

(ii) for clause (e), the following clause shall be substituted, namely:-

‘(e) “star rating or star level” means the grade of energy efficiency displayed on the label of the room air conditioner based on the energy consumption standard notified under clause (a) of section 14 to denote the energy efficiency of the air conditioner;’;

(iii) after clause (e), the following clause shall be inserted, namely:-

‘(f) “trader or seller” in relation to any labelled room air conditioner means, a person who sells or distributes any such room air conditioner and includes the shopkeeper, trader, manufacturer and permittee given permission to affix label on such room air conditioner.’.

3. In the principal regulations, in regulation 3, in sub-regulation (1),-

(i) after clause (k), the following clause shall be inserted, namely:-

“(l) label period.”

(ii) after sub-regulation (1), the following sub-regulation shall be inserted, namely:-

“(1A) The particular specified in clause (l) of sub-regulation (1) shall be displayed on unitary type air-conditioner after the 31st December, 2013.”.

4. In the principal regulations, in regulation 4, the existing regulation 4 shall be renumbered as sub-regulation (1) and after sub-regulation (1) as so renumbered, the following sub-regulations shall be inserted, namely:-

“(2) With the revision in the energy efficiency ratio resulting in revision in star level for display on the label of the room air conditioner notified under clause (a) of section 14 of the Act, every permittee shall ensure that-

(a) the stock of room air conditioners with label displaying the star level available in the market is fully exhausted or relabelled or withdrawn from the market before the date from which the revised star level comes into force;

(b) the room air conditioners with the label displaying the revised star level is put on sale in the market with effect from the date from which the revised star level comes into force and the label period displayed in clause (l) of sub-regulation (1) of regulation 3 shall indicate the validity period of the revised star level;

(c) all the preparatory steps including awareness of the dealers, retailers, requisite publicity for their education as well as for the education of the consumers shall be well planned and taken six months in advance of the date from which revised star

level comes into force for the purpose of enforcement of the provisions of clauses (a) and (b).

(3) Where the permittee failed to ensure compliance with the provisions specified in clause (a) of sub-regulation (2), on account of market conditions beyond his control, and there are reasonable grounds to believe that the consumer would find it difficult to make a considered choice on the basis of energy efficiency between the air conditioner referred to in clause (a) and clause (b) of sub-regulation (2), the permittee, with the previous approval of the Central Government shall display energy efficiency ratio, referred to in clause (k) of sub-regulation (1) of regulation 3 on the label in green colour as per design shown in the Schedule to make a distinction between the air conditioner referred to in clause (a) and clause (b) of sub-regulation (2).”.

5. In the principal regulations, in regulation 7,-

(i) for sub-regulation (3), the following sub-regulation shall be substituted, namely:-

“(3) The permission so granted under sub-regulation (1) shall be valid for duration for which the star level specified by the energy consumption standard as notified by the Central Government under clause (a) of section 14 is in force.”;

(ii) after sub-regulation (5), the following sub-regulations shall be inserted namely:-

“(6) The permittee who seeks permission for continuance to affix label on the existing model of the room air conditioner from the date from which the revised star level comes into force shall submit only a declaration in form IV.

(7) The permittee shall seek permission to affix label afresh, if new model of the room air conditioner is planned to be launched synchronising with the revised star level, and application for such permission shall be made six months in advance of coming into force of the revised star level.”.

6. In the principal regulations, the existing regulation 8 shall be re-numbered as sub-regulation (1) and after sub-regulation (1) as so re-numbered,-

(i) after clause (f), the following clause shall be inserted, namely:-

“(fa) the permittee shall display on its web-site an updated list of authorised distributors, dealers, retailers, sellers appointed to sell their labelled products and furnish the same to the Bureau as well as to the State Designated Agencies as on 1st April of each year.”

(ii) after sub-regulation (1) as so renumbered, the following sub-regulation shall be inserted, namely:-

“(2) The particulars displayed on the label affixed to the room air conditioners offered for sale or displayed for sale, or on its wrapper or container shall be deemed to be a statement made to the public when such room air conditioner is sold, sent, delivered, transmitted or in any other manner, made available to a member of the public and every trader or seller of such room air conditioner shall be-

- (a) bound by such statement before the member of the public;
- (b) under obligation to comply with these regulations; and
- (c) responsible for selling room air conditioners in compliance with these regulations.”.

7. In the principal regulations, in regulation 11, for sub-regulations (4) and (5), the following sub-regulations shall be substituted, namely:-

“(4) Where the second test fails, the Bureau shall, -

(a) direct the permittee in Form V, under intimation to all the State Designated Agencies, that the permittee within a period of two months shall,-

(i) correct the star level displayed on the label of the room air conditioner or remove the defects and deficiencies found during testing;

(ii) withdraw all the stocks from the market to comply with the directions of the Bureau; and

(iii) change the particulars displayed on advertising material.

(b) notify the consumers in such manner as it deems fit;

(c) intimate to the concerned State Designated Agency to initiate adjudication proceedings against the permittee and the trader.;

(5) The permittee within ten days of the conclusion of the period of two months referred to in sub-regulation (4) shall, -

(a) send the compliance report in Form VI to the Bureau with respect to action taken in compliance with the direction; and

(b) in case compliance report referred to in clause (a) is not received within the specified period, it shall be deemed as non-compliance of the direction issued and orders to that effect shall be passed by the Bureau.

(6) The Bureau shall send a copy of the compliance report referred to in clause (a) and orders passed in clause (b) of sub-regulation (5) to all the State Designated Agencies for the purpose of section 17 and section 27 of the Act.

(7) Where the permittee fails to comply with the directions issued by the Bureau under sub-regulation (4), the Bureau under intimation to all State Designated Agencies, shall,-

(a) withdraw the permission granted to the permittee under sub-regulation (1) of regulation 7;

(b) send report to the Central Government accompanied by the test report in support of the failure by the permittee to conform to the energy consumption standard notified by the Central Government under clause (a) of section 14, the orders issued by the Bureau under clause (a) for consideration and taking action under clause (c) of section 14 by the Central Government;

(c) notify the consumers in such manner it deems fit;

(d) intimate to the concerned State Designated Agencies to initiate adjudication proceedings against the permittee and the trader.”

8. In the principal regulations, in form II, for the existing paragraph 5, the following paragraph shall be substituted, namely:-

“5. Where the star level plan on review is modified by the Bureau, the star level of the Room Air Conditioner shall stand modified as follows:

(a) if new model is launched synchronising with the revised star level, an application for such permission shall be made to Bureau six months in advance of the date from which new star level comes in to force;

(b) where the existing model is continued to give effect to the modified star level, only a declaration in Form IV shall be submitted to the Bureau.”

9. In the principal regulations, after Form III, the following Forms shall be inserted, namely:-

**“Form IV
Declaration
[Refer Regulation 7(6)]**

(For Each different model, a separate letter shall be submitted along with respective Annexure)

(On the letter head of corporate body / User of Label)

Date:

To

**THE DIRECTOR GENERAL
BUREAU OF ENERGY EFFICIENCY
(MINISTRY OF POWER, GOVT. OF INDIA)
4TH FLOOR, SEWA BHAWAN,
SECTOR 1, R.K.PURAM,
NEW DELHI-110 066
INDIA.**

**Sub: Application for permission to affix label vide Bureau of Energy Efficiency
(Particulars and Manner of their display on Label of Room Air Conditioners)
Regulations, 2009 as per revision of star level effective from**

1. I/ We are the manufacturers of Room Air Conditioner carrying on business at [COMPANY NAME WITH FULL ADDRESS] under the style of [FULL NAME OF INDIVIDUAL OR FIRM] hereby apply for permission to affix label on [EQUIPMENT NAME] as specified by the Bureau in the Bureau of Energy Efficiency (Particulars and Manner of their display on the label of [Room Air Conditioners]) Regulations, 2009 which would go for revision of star level with effect from
2. Manufacturing Facility: The above equipment is manufactured or imported by [FULL NAME OF INDIVIDUAL OR FIRM] and is manufactured at (NAME AND ADDRESS OF FACTORY) or imported from (NAME AND ADDRESS OF FACTORY/Importer)
3. Conformation to New Star Level: I/We conform to the table change as per TABLE as specified in the S.O.number,181(E) dated 9th January 2012 for the room air conditioner. A copy of the BEE License/certificate/approval in respect of the above equipment (which was earlier approved) is enclosed.
4. A copy of the BEE Label (as per revision of star level change) in respect of the Room Air Conditioner is enclosed.
5. Details of the Equipment / Model as per the new Table:

Model Name - _____

Particulars	Values	
Cooling Capacity	--	
Power Consumption	--	
EER	--	
Star Rating	(As per existing label level)	(As per revision of star level)

6. I/We agree to change my star label from [EXISTING STAR LABEL LEVEL] to [REVISED STAR LABEL LEVEL] in manual application as well as in the online web portal.
7. I have submitted my quarterly production data and labelling fee till date for the said Room Air Conditioner.
8. I/We agree to abide by all the terms and conditions specified by the Bureau and extend necessary assistance/cooperation to the Bureau in case of any enquiry to be made by it.
9. I/we authorise the Bureau of Energy Efficiency for selection of sample for verification and challenge testing and agree to abide by the directions of the Bureau in this regard.
10. I/We undertake that the information supplied in this application is accurate to the best of my knowledge, and should any of the information supplied be found to be incorrect, the application may be rejected forthwith.

Date:

Day of (Year)
 Signature
 Name
 Designation
 For and on behalf of.....

 (Name of the firm)
 SEAL OF FIRM

.....

FORM V
[Refer Regulation 11(4)]
Direction to Permittee on failure of Second Test checking

To

.....

New Delhi, dated the 201...

Pursuant to the provisions of regulation 7 of the Bureau of Energy Efficiency(Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009 you were permitted to affix label on the room air conditioners vide BEE letter No.dated..... subject to the compliance of the terms and conditions specified therein.

2.The Bureau under Regulation 11 of the Bureau of Energy Efficiency(Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009 dealing with

38394712-4

verification and Testing of the air conditioner number purchased from your authorised Distributor, dealer, retailer vide Invoice numberdated for a price of Rs.....and lifted as a sample under paragraph 4 of the S.O.number.181(E) dated the 12th January, 2009 by M/s.....an agency appointed by the Bureau for verification of the particulars displayed on the label under Regulation 3 of the aforesaid Regulations, affixed by you on the aforesaid purchased room air conditioner. The sample duly sealed by M/s..... was given Unique Identification serial number embossed on the lifted sample obtained from M/s.....(Name of the Distributor, dealer, retailer) under signatures of the duly authorised representative of the verification Agency as well as your representatives

3.The Bureau through its aforesaid Verification Agency had transported the sample referred to in para 2 to M/s., a NABL accredited laboratory for conducting tests in accordance with the test procedure indicated in paragraphs 3 and 4 of S.O. number 181(E) dated the 12th January, 2009 for giving Test Report in accordance with the Form given in Annexure to S.O. number 181(E) dated the 12th January, 2009.

4. The results of the Test Report on the sample bearing Unique Identification serial number is enclosed. The results of the Test Report indicated that the sampled Air Conditioner failed to meet the energy consumption standard, specified rated capacity, EER, etc. and did not conform to the Test details furnished by you in Form 1 annexed to the Application submitted by you for seeking permission to affix label on the Room Air Conditioner manufactured/imported by you. The Test Results were sent to you vide BEE letter number... .. dated.....in the name of your authorised Contact person . You were also requested to attend and witness the Second Check Verification Test of the samples at the NABL Accredited Laboratory M/s.....

5.The Sample for second check verification Test were picked up in accordance with paragraph 4 of the S.O.number 181 dated the 12th January, 2009 through our authorised Agency M/s.and transported to the NABL accredited Laboratory transported by our authorised Agency, duly sealed by M/s..... and was given Unique Identification serial number embossed on the said sample obtained fromunder signatures of the duly authorised representative of the verification Agency as well as your representatives.

6. The Test results are contained in Second Test Verification Report duly prepared checked and counter signed by the competent authorized personnel of the NABL Accredited Laboratory. The test report is also duly signed by your authorised signatory as witness of 2nd check testing. The Test Results confirm that they failed to meet the requisite parameters and standards given in S.O.number 181(E) dated, 12th January, 2009 and the terms and conditions of the permission given to you for display of particulars on label affixed to the air conditioner manufactured and sold in the market .

7. The Bureau under clause (a) of sub-regulation (4) of Regulation-11 of the Bureau of Energy Efficiency(Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009 hereby direct to-

- (a) correct the star level displayed on the label of the room air conditioner;

- (b) withdraw all the stocks from the market to comply with the directions of the Bureau; and
- (c) change the particulars displayed on advertising material.

8. You are hereby directed to complete the aforesaid corrective action within two months from the date of issue of this letter and send the compliance report in Form V within 10 days after the expiry of two months i.e. by201... .. In case no compliance report is received by the said date the Bureau shall proceed to take action in terms of clause (b) of sub-regulation (5) of Regulation 11 of the Bureau of Energy Efficiency(Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009..

9. The Bureau shall take further follow up action in the matter in terms of regulation (4) (5)(6) and (7) of regulation 11 of the Bureau of Energy Efficiency(Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009.

Secretary,
Bureau of Energy Efficiency

Enclosures:

1. Test reports of the failed model
2. Correspondence with the manufacturer

Form VI
Action Taken Report
[Refer Regulation 11(4)]

(To be furnished on Company's letter head)

Pursuant to the provisions of regulation 7 of the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners Regulations, 2009 , we M/s.....the manufacturer of room air conditioners were permitted to affix label on the room air conditioners conforming to the energy consumption standard ofstar level vide BEE letter No.....dated.....for the model number.....

Pursuant to the provisions of sub-regulation (4) of regulation 11 of the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners Regulations, 2009, we were given the following directions. We hereby declare that the following actions have been taken at our end.

	Action Directed	Status	Action Taken
(i)	Correct the star level displayed on the label to comply with the directions of the Bureau.	Yes/No/NA	The star level has been corrected from.....star to.....star
(ii)	Withdraw all the stocks from the market to comply with the directions of the Bureau	Yes/No/NA	All the stocks from the market have been withdrawn
(iii)	change the particulars displayed on advertising material.	Yes/No/NA	Yes/No/NA

The above declaration is true to the best of our knowledge and belief.

Signature
Name
Designation
For and on behalf of.....
Name of the Co./Firm etc
seal of the firm".


10. In the principle regulations, for the existing schedule, the following schedule shall be substituted, namely:-

"Schedule
[See regulation 3(2)]


1. Details of particulars to be displayed on labels of Window type Air Conditioners (Applicable up to 31st December 2013)

(1.1) Label design, size, colour scheme and content of the label shall include

(i) the following dimensional design of label ,namely:-



(ii.) the following colour scheme for the label(Window type Air conditioners), namely :-



(iii) the following colour scheme for Bureau's logo, namely:-


BLUE –

Hue(H)-239° Saturation(S):64% Brightness(B):59%
 Luminance or lightness(L) :28, chromatic components -a:24 b:54
 Red(R):54 Green(G):55 Blue(B):151
 Cyan(C):97% Magenta(M):95% Yellow(Y):6% Black(K):1%
 Web colour code - #363797

GREEN –

Hue(H)-150° Saturation(S):10% Brightness(B):67%
 Luminance or lightness(L) :61, chromatic components -a:-53 b:32
 Red(R):0 Green(G):170 Blue(B):87
 Cyan(C):81% Magenta(M):10% Yellow(Y):90% Black(K):1%
 Web colour code - #00AA56;

- (iv) the following complete specimen of a printed label for Window air conditioner, namely:-



(1.2) Material and shape


The label shall be of durable cardboard, if it is to be attached as a swing tag, or be self adhesive and shall be cut to one of the outlines shown in dimension design scheme for the label.

2. Details of particulars to be displayed on labels of Split type Air Conditioners.


(Also applicable for Window type Air conditioners after 01st January, 2014)

(2.1) Label design, size, colour scheme and content of the label shall include -

(i) the following dimensional design of label ,namely:-



(ii.) the following colour scheme for the label (Split type Air conditioners), namely :-



Note: The colour tone at the background of Energy Efficiency Ratio Display (Green) will be similar as followed for the Bureau of Energy Efficiency Logo.

(iii) The following colour scheme for Bureau's logo, namely:-

BLUE -

Hue (H)-239° Saturation(S):64% Brightness (B):59%

Luminance or lightness (L):28, chromatic components -a:24 b:54

Red(R):54 Green (G):55 Blue (B):151

Cyan(C):97% Magenta (M):95% Yellow(Y):6% Black (K):1%

Web colour code - #363797

GREEN -

Hue (H)-150° Saturation(S):10% Brightness (B):67%

Luminance or lightness (L):61, chromatic components -a:-53 b:32


Red(R):0 Green (G):170 Blue (B):87

Cyan(C):81% Magenta (M):10% Yellow(Y):90% Black(K):1%

Web colour code - #00AA56;

(iv) The following complete specimen of a printed label for split type air

conditioner , namely:-



(2.2). Material and shape

The label shall be of durable cardboard, if it is to be attached as a swing tag, or be self adhesive and shall be cut to one of the outlines shown in dimension design scheme for the label.

JYOTI ARORA, Director General

[ADVT.-III/4/185/12/Exty.]

Foot Note:—The principal regulations, namely, the Bureau of Energy Efficiency (Particulars and Manner of their Display on Labels of Room Air Conditioners) Regulations, 2009 were notified in the official gazette in Part III, Section 4 vide number 2/11(5)/03BEE-2 dated the 6th July, 2009 and last amended vide number 2/11(5)/03BEE-2, dated the 5th January, 2010.